



## **COST Action FA0605**

“*Signalling control of stress tolerance and production of stress protective compounds in plants.* “  
International Network of Plant Abiotic Stress” (INPAS)

<http://www.cost.esf.org/index.php?id=181&action number=FA0605>

<http://cost-inpas.org/>.

### **Published papers**

**Acioli-Santos, B., Sebastiana, M., Pessoa, F., Sousa, L., Figueiredo, A., Fortes, A. M, Baldé, A., Maia, L.C., Pais, M.S.** (2008): Fungal transcript pattern during pre-infection stage (12h) of ectomycorrhiza formed between *Pisolithus tinctorius* and *Castanea sativa* roots, using cDNA microarrays. *Curr. Microbiol.* (DOI: 10.1007/s00284-008-9253-2).

**Akkurt, M.; Welter, L.; Maul, E.; Töpfer, R.; Zyprian E.** (2007): Development of SCAR markers linked to powdery mildew (*Uncinula necator*) resistance in grapevine (*Vitis vinifera* L. and *Vitis* sp.). *Molecular Breeding* 19, 103-111

**Angelini, R. Tisi, A., Rea, G., Chen, M.M., Botta, M., Federico R., A Cona, A.** (2008) Involvement of Polyamine Oxidase in Wound Healing., *Plant Physiology*, 146:162-17.

**Atanassov, A., Batchvarova, R., Djilianov, D.** (2007) Strategic vision for plant biotechnology and genomics development. *Biotechnology & Biotechnology Eq.* 21: 1-7.

**Bacsó, R., Molnár, A., Papp, I., Janda, T.** (2008) Photosynthetic behaviour of Arabidopsis plants with a Cap Binding Protein 20 mutation under water stress conditions. *Photosynthetica*, 46(2):268-272.

**Bacsó, R., Janda, T., Galiba, G., Papp, I.** (2008) Study of the fitness from the *cbp20* mutant Arabidopsis. *Cereal Research Communications*, 36:2091-2094.

**Bacsó, R., Janda, T., Galiba, G., Papp, I.** (2008) Restricted transpiration may not result in improved drought tolerance in competitive environment for water *Plant Science* 174: 200-204.

**Barrero, J.M., Rodríguez, P.L., Quesada, V., Alabadí, D., Blázquez, M.A., Boutin, J.P., Marion-Poll, A., Ponce, M.R. and Micol, J.L.** (2008). The ABA1 gene and carotenoid biosynthesis are required for late skotomorphogenic growth in Arabidopsis thaliana. *Plant Cell Environment* 31, 227-234.

**Bartels D., Hussain S.S.** (2008) Current status and implications of engineering drought tolerance in plants using transgenic approaches. *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources* 3: 1-17.

**Batelli G, Verslues PE, Agius F, Qiu Q, Fujii H, Pan S, Schumaker KS, GRILLO S and Zhu J-K** 2007 - SOS2 promotes salt tolerance in part by interacting with the vacuolar H<sup>+</sup>-ATPase and upregulating its transport activity. *Molecular and Cellular Biology* 27(22):7781-90.

**Berdasco M, Alcázar R, García-Ortiz MV, Ballestar E, Fernández AF, Roldán-Arjona T, Tiburcio AF, Altabella T, Buisine N, Quesneville H, Baudry A, Lepiniec L, Alaminos M, Rodríguez R, Lloyd A, Colot V, Bender J, Canal MJ, Esteller M, Fraga MF.** 2008 Promoter DNA hypermethylation and gene repression in undifferentiated Arabidopsis cells. *PLoS ONE*. 2008 Oct 13(10):e3306.

**Brini F, Hanin M, Lumbreras V, Amara I, Khoudi H, Hassairi A, Pagès M, Masmoudi K.** 2007 Overexpression of wheat dehydrin DHN-5 enhances tolerance to salt and osmotic stress in Arabidopsis thaliana. *Plant Cell Rep.* 2007 Nov 26(11): 2017-26.

**Bor M, Ozdemir F, Turkan I** (2008) Gaba and hormone response of sesame plant (*Sesamum indicum* L.) under different abiotic stresses. *Photosynthesis Research*, 91(2-3):321-322.

**Bou Dagher-Kharrat M., Mariette S., Lefèvre F., Fady B., Grenier- de March G., Plomion C. and Saviouré A.** (2007) Geographical diversity and genetic relationships among *Cedrus* species estimated by AFLP. *Tree Genetics & Genome*. 3, 275-285.

**Carvalho M., Pinheiro C., Bartels D., Ricardo C., Chaves M.** (2008) Dehydrins in *Lupinus albus*: pattern of protein accumulation and gene expression in response to drought. *Functional Plant Biology* 35, 85-91.

**Craig W, Lenzi P, Scotti N, De Palma M, Saggese P, Carbone V, McGrath Curran N, Magee AM, Medgyesy P, Kavanagh TA, Dix PJ, GRILLO S, Cardi T.** 2008 Transplastomic tobacco plants expressing a fatty acid desaturase gene exhibit altered fatty acid profiles and improved cold tolerance. *Transgenic Research* DOI :10.1007/s11248-008-9164-9

**Cuevas, J. C., López-Cobollo, R., Alcázar, R., Koncz, C., Altabella, T., Salinas, J., Tiburcio, A. F., and Ferrando, A.** (2008) Putrescine is involved in Arabidopsis freezing tolerance and cold acclimation by regulating ABA levels in response to low temperature. *Plant Physiol.* 148, 1094-1105.

**De Palma M, GRILLO S, Massarelli I, Costa A, Balogh G, Vigh L, Leone A** 2008 Regulation of desaturase gene expression, changes in membrane lipid composition and freezing tolerance in potato plants. *Molecular Breeding* 21(1) : 15-26.

**Desclos M., Dubousset L., Etienne P., Le Caherec F., Satoh H., Bonnefoy J., Ourry A., Avice Jc.** 2008. A proteomic profiling approach to reveal a novel role of Brassica napus drought 22 kD/water-soluble Chlorophyll-binding protein in young leaves during nitrogen remobilization induced by stressful conditions. *Plant Physiology*. 147, 1830-1844.

**Docquier, S., Kevers, C., Lambe, P., Gaspar, T., Dommès, J.** (2007) Beneficial use of lignosulfonates in in vitro plant cultures : stimulation of growth, of multiplication and of rooting. *Plant Cell Tissue Organ Cult.* 90, 285-291.

**Eibach, R.; Zyprian, E.; Welter, R.; Töpfer R.** (2007): The use of molecular markers for pyramiding resistance genes in grapevine breeding. *Vitis* 46(2), 120-124.

- Escaray F. J.; Pesqueira, J.; Pieckenstain, F L.; Carrasco P., Ruiz, O A.** (2007). Condensed Tannins and anthocyanidins in the *Lotus* genus: Relationships with saline stress in forage species devoted for marginal soils. *Innovación y Tecnología Agroalimentaria*. (ITA España) 2:113-123.
- Fabro G, Di Rienzo JA, Voigt CA, Savchenko T, Dehesh K, Somerville S, Alvarez ME.** (2008) Genome-wide expression profiling Arabidopsis at the stage of *Golovinomyces cichoracearum* haustorium formation. *Plant Physiol.* 146:1421-39.
- Fait, A., Fromm, H., Walter, D., Galili, G., Fernie, A.R.** (2008) Highway or byway: the metabolic role of the GABA shunt in plants. *Trends Plant Sci.*13:14-19.
- Figueiredo, A., Fortes, A.M., Ferreira, S., Sebastiana, M., Choi, Y.H., Sousa, L., Acioli-Santos, B., Pessoa, F., Verpoorte, R., Pais, M.S.** (2008): Transcriptional and metabolic profiling of grape (*Vitis vinifera* L.) leaves unravel possible innate resistance against pathogenic fungi. *J. Exp. Bot.* 59(12):3371-3381.
- Fortes, A.M., Santos, F., Choi, Y.H., Silva, M.S., Figueiredo, A., Sousa, L., Pessoa, F., Acioli-Santos, B., Sebastiana, M., Palme, K., Malhó, R., Verpoorte, R., Pais, M.S.** (2008) Organogenic nodule development in hop (*Humulus lupulus* L.): transcript and metabolic responses. *BMC Genomics*, 9:445
- Franck T, Kohnen S, Grulke S, Neven P, Goutman Y, Peters F, Pirotte B, Deby-Dupont G, Serteyn D.** Inhibitory effect of curcuminoids and tetrahydrocurcuminoids on equine activated neutrophils and myeloperoxidase activity. *Physiol Res.* (2008) 57:577-587.
- Furini A, Varotto S Borgato L., Hilbricht T, Sgaramella V., Salamini F, Bartels D.** (2008): Plant resurrection, SINE retrotransposons and siRNA: environment-mediated evolution of desiccation tolerance, *New Phytologist* 179 (3): 877-887.
- Garriz A, González M.E., Marina M., Ruiz O.A. and Pieckenstain F.** (2008). Polyamine metabolism during sclerotial development of *Sclerotinia sclerotiorum*. *Micological Research*. 112:414-422.
- Ghars M.A., Parre E., Debez A., Bordenave M., Richard L., Leport L., Bouchereau A., Savouré A. and Abdelly C.** (2008). Comparative salt tolerance analysis between *Arabidopsis thaliana* and *Thellungiella halophila*, with special emphasis on K<sup>+</sup>/Na<sup>+</sup> selectivity and proline accumulation. *J. Plant Physiol.* 165, 588-599.
- Gonorazky,G, Laxalt AM, Testerink C, Munnik T, de la Canal L.** (2008) Phosphatidylinositol 4-phosphate accumulates extracellularly upon xylanase treatment in tomato cell suspensions. *Plant Cell Environ.* 31, 1051-1062.
- Grzesiak, M.T., Rzepka A., Hura T., Hura K., Skoczowski A.** (2007) Changes in response to drought stress of triticale and maize genotypes differing in drought tolerance. *Photosynthetica* 45: 280-287.
- Grzesiak, M.T., Rzepka A., Hura T., Hura K., Skoczowski A.** (2007) Fluorescence excitation spectra of drought resistant and sensitive genotypes of triticale and maize. *Photosynthetica* 45: 606-611.

- Gumze, A., Spoljarevic, M., Kerovec, D., Teklic, T., Kovacevic, V.** (2008): The influences of genotype and soil on maize nutritional status and free proline content. *Cereal Research Communications, Vol. 36 Supplement 5, Part III: 1279-1282*
- Hengherr S, Heyer AG Köhler HR, Schill RO** (2008) Trehalose and Anhydrobiosis: Existence and accumulation of trehalose in different tardigrade species during desiccation. *FEBS Journal 275, 281–288.*
- Hincha DK., Livingston DP.III, Premakumar R., Zuther E., Obel N., Cacula C., Heyer A.G.** (2007) Fructans from oat and rye: Composition and effects on membrane stability during drying. *Biochim. Biophys. Acta 1768, 1611–1619.*
- Hura, T., Hura K., Grzesiak, M.T., Rzepka, A.** (2007) Effect of long-term drought stress on leaf gas exchange and fluorescence parameters in C3 and C4 plants. *Acta Physiol. Plant. 29: 103-113.*
- Ishihara T, Sekine KT, Hase S, Kanayama Y, Seo S, Ohashi Y, Kusano T, Shibata D, Shah J, Tahahashi H.** (2008) Overexpression of the Arabidopsis thaliana EDS5 gene enhances resistance to viruses. *Plant Biol (Stuttg). 10:451-461.*
- Jacques, P., Kevers, C., Gaspar, Th., Dommès, J., Thonart, P.** (2007) Conditioning Panax vietnamensis cell mass production in bioreactors. *Acta Bot. Gallica 154, 21-26.*
- Jerzmanowski, A.** (2007) SWI/SNF chromatin remodeling and linker histones in plants. *Biochim. Biophys. Acta 1769, 330-345.*
- Jiménez-Bremont J.F; Ruiz O.A. and Rodríguez Kessler M.** (2007) Modulation of spermidine and spermine levels in maize seedlings subjected to long-term saline stress. *Plant Physiology and Biochemistry. 45: 812-821.*
- Jubault M., Hamon C., Gravot A., Lariagon C., Delourme R., Bouchereau A., Manzanares-Dauleux M.J.** 2008. Differential regulation of root arginine catabolism and polyamine metabolism in clubroot-susceptible and partially resistant Arabidopsis genotypes. *Plant Physiology, 146, 2008-2019.*
- Kadioglu, A., Terzi, R. A.** (2007) Dehydration Avoidance Mechanism: Leaf Rolling. *The Botanical Review, 73(4), 290-302.*
- Kempa, S., Rozhon, J., Čamaj, A., Erban F., Balu'ka, T., Becker, J., Haselmayer, E., Schleiff J., Kopka, H., Hirt, C., Jonak** (2007). A starch-associated glycogen synthase kinase 3 modulates carbohydrate metabolism and stress tolerance. *Plant J, 49, 1076-1090.*
- Kevers, C., Falkowski, M., Tabart, J., Defraigne, J-O., Dommès, J. Pincemail, J.** (2007) Evolution of antioxidant capacity during storage of selected fruits and vegetables *J. Agric. Food Chem. 55, 8596-8603.*
- Knizewski L., Ginalski, K. and Jerzmanowski A.** (2008) Snf2 proteins in plants: gene silencing and beyond. *Trends in Plant Science, 13, 557-565.*
- Koca H., Bor M., Ozdemir F., Turkan I.** (2007). The effect of salt stress on lipid peroxidation, antioxidative enzymes and proline content of sesame cultivars. *Environmental and Experimental Botany, 60(3), 344-351*

- Kohnen S, Franck T, Van Antwerpen P, Boudjeltia KZ, Mouithys-Mickalad A, Deby C, Moguilevsky N, Deby-Dupont G, Lamy M, Serteyn D.** Resveratrol inhibits the activity of equine neutrophil myeloperoxidase by a direct interaction with the enzyme. *J Agric Food Chem.* (2007) 55:8080-8087.
- Korn M, Peterek S, Mock HP, Heyer AG, Hinch DK** (2008) Heterosis in the freezing tolerance, and sugar and flavonoid contents of crosses between *Arabidopsis thaliana* accessions of widely varying freezing tolerance. *Plant, Cell & Environ* 31, 813-827.
- Kusano, H., Testerink, C., Vermeer, J.E.M., Tsuge, T., Oka, A., Shimada, H., Munnik, T., Aoyama, T.** (2008) The *Arabidopsis* phosphatidylinositol phosphate 5-kinase PIP5K3 is a key regulator for root hair tip growth. *Plant Cell* 20, 367-380.
- Kusano T, Berberich T, Tateda C, Takahashi Y** (2008) Polyamines: essential factor for growth and survival. *Planta* 228, 367-381.
- Leblanc A., Renault H., Lecourt J., Etienne P., Deleu C., Le Deunff, E.** 2008. Elongation changes of exploratory and root hair systems induced by ACC and AVG affect nitrate uptake and the BnNrt2.1 and BnNrt1.1 transporters genes expression in *Brassica napus*. *Plant Physiology.* 146, 1928-1940.
- Less H, Galili G** 2008. Principal transcriptional programs regulating plant amino acid metabolism in response to abiotic stresses. *Plant Physiol.* 147:316-930.
- Maiale, S.; Marina, M.; Sánchez, D H., Pieckenstain, F. L. & Ruiz, O. A.** (2008). *In vitro* and *In vivo* inhibition of plant polyamine oxidase activity by polyamine analogues. *Phytochemistry.* 69: 2552-2558.
- Marco, F., Calvo, E, Carrasco, P., Sanz, M.C.** (2008) Analysis of molecular markers in three different tomato cultivars exposed to ozone stress. *Plant Cell Reports* 27:197-207.
- Marina M., Maiale S., Rossi F.R., Rivas E., Gárriz A., Ruiz O.A. and Pieckenstain F.L.** Apoplastic polyamine oxidation plays different roles in local responses of tobacco to infection by the necrotrophic fungus *Sclerotinia sclerotiorum* and the biotrophic bacterium *Pseudomonas viridiflava*. (2008). *Plant Physiology.*147: 2164-2178.
- Medina, J., M. L. Ballesteros, M.L., Salinas, J.** (2007) Phylogenetic and functional analysis of *Arabidopsis* RCI2 genes. *J. Exp. Bot.* 58: 4333–4346.
- Mishra, K.B., R. Gopal, R.** (2008) Detection of nickel-induced stress using laser-induced fluorescence signatures from leaves of wheat seedlings, *International J Remote Sens.* 29:157-173.
- Moschou, P.N., M. Sanmartin, A. H. Andriopoulou, E. Rojo, J. J. Sanchez-Serrano, and KA Roubelakis-Angelakis.** 2008. Bridging the Gap Between Plant and Mammalian Polyamine Catabolism: A Novel Peroxisomal Polyamine Oxidase Responsible for a Full Back-Conversion Pathway in *Arabidopsis Thaliana*. *Plant Physiol.* 147:1845-1857.
- Moschou, P.N., K.A. Paschalidis, I. D. Delis, A.H. Andriopoulou, G.D. Lagiotis, and K.A. Roubelakis-Angelakis.** 2008. Salinity-Induces Exodus of Spermidine into the Apoplast which is Catabolized by Polyamine Oxidase and the Size of H<sub>2</sub>O<sub>2</sub> Signature Depicts Tolerance Responses. *Plant Cell* 20:1708-1724.

**Naïja, S., Elloumi, N., Jbir, N., Ammar, S., Kevers, C.** (2008) Anatomical and biochemical changes during adventitious rooting of apple rootstocks MM 106 cultured in vitro. *Comptes-Rendus Biologie 331*, 518-525.

**Novillo, F., Medina, J., Salinas, J.** (2007) Arabidopsis CBF1 and CBF3 have a different function than CBF2 in cold acclimation and define different gene classes in the CBF regulon. *Proc. Natl. Acad. Sci. USA 104*: 21002-21007.

**Ondo Ovono, P., Kevers, C., Dommes, J.** (2007) Axillary proliferation and tuberisation of *Dioscorea cayenensis* - *D. rotundata* complex. *Plant Cell Tissue Organ Cult.* 91, 107-114.

**Oliveira E, Amara I, Bellido D, Odena MA, Domínguez E, Pagès M, Goday A.** 2007 LC-MS/MS identification of Arabidopsis thaliana heat-stable seed proteins: enriching for LEA-type proteins by acid treatment. *J Mass Spectrom.* 2007 Nov 42(11):1485-95.

**Parre E., Ghars M.A., Leprince A.S., Thiery L., Lefebvre D., Bordenave M., Richard L., Mazars C., Abdely C. and Saviouré A.** (2007). Calcium signaling via phospholipase C is essential for proline accumulation upon ionic but not non-ionic hyperosmotic stresses in Arabidopsis thaliana. *Plant Physiol.* 144(1), 503-512.

**Papdi, C., Ábrahám, E., Prathiba Joseph, M., Popescu1a, C., Koncz, C. and Szabados, L.** (2008) Functional identification of Arabidopsis stress regulatory genes with the Controlled cDNA Overexpression System, COS. *Plant Physiol.* 147, 528-542.

**Paradikovic, N., Teklic, T., Vinkovic, T., Balicevic, R., Lepedus, H.** (2008): Influence of K excessive soil and plant supply on Ca deficiency in pepper fruits (*Capsicum annuum* L.). *Cereal Research Communications Vol. 36 Supplement 5 Part III*: 1563-1566.

**Phillips J., Dalmay T., Bartels D** (2007) The role of small RNAs in abiotic stress *FEBS Letters* 581: 3592-3597.

**Phillips J. Bartels D.** (2008) Dehydration tolerance in resurrection plants: Dried Flowers. *The Biochemist* 30 (4), 14-17

**Phillips J., Fischer E., Baron M., van den Dries N., Facchinelli F., Kutzer M., Rahmanzdeh R., Remus D., Bartels D.** (2008) *Lindernia brevidens*, a novel desiccation tolerant vascular plant, endemic to ancient tropical rain forest *Plant Journal* 54(5), 938-948.

**Reyes, J.C., Brzeski, J. and Jerzmanowski, A.** (2007) Chromatin remodeling and histone variants in transcriptional regulation and in maintaining DNA methylation. in Regulation of Transcription in Plants (Klaus D. Grasser, Ed.) *Annual Plant Reviews Vol. 29 (Blackwell Publishing)* 112-135.

**Rodríguez-Kessler M., Ruiz O. A, Maiale S., Ruiz-Herrera J, Jiménez-Bremont J.F** (2008). Alteration in polyamine metabolism of maize tumors induced by *Ustilago maydis*. *Plant Physiology and Biochemistry.* 46:805-814.

**Röhrig H., Schmidt J., Colby T., Harzen A., Facchinelli F., Bartels D.** (2008) Analysis of the *Cratogeomys mollis* plantagineum desiccation phosphoproteome using a modified metal oxide affinity chromatography procedure. *Proteomics* 8, 3548-3560.

- Rubio, S., Whitehead, L., Larson, T.R., Graham, I.A. and Rodriguez, P.L.** (2008) The Coenzyme A biosynthetic enzyme phosphopantetheine adenylyltransferase plays a crucial role for plant growth, salt/osmotic-stress resistance and seed lipid storage. *Plant Physiology* 148, 546-556.
- Saglam, A., Kadioglu, A., Terzi, R., Saruhan, N.,** (2008) Leaf rolling and biochemical changes in them in post-stress emerging *Ctenanthe setosa* plants under drought conditions, *Russian J. Plant Physiol.* 55:48-53.
- Sampaio, P. N., Fortes, A.M., Cabral, Joaquim M.S., Pais, M.S., Fonseca, L.P.** (2008) Production and Characterization of Recombinant Cyprosin 1 B in *Saccharomyces cerevisiae* (W303-1A) strain. *J. Biosci. Bioengin.* 105 (4), 305-312.
- Schweighofer, A., Kazanaviciute, V., Scheikl, E., Teige, M., Doczi, R., Hirt, H., Schwanninger, M., Kant, M., Schuurink, R., Buchala, A., Mauch, F., Cardinale, F., Meskiene, I.** (2007). PP2C-type Phosphatase AP2C1 Negatively Regulates MPK4 and MPK6, and Modulates Innate Immunity, Jasmonic Acid and Ethylene Levels in Arabidopsis. *Plant Cell* 19, 2213-2224.
- Schweighofer, A., and Meskiene, I.** (2008). Protein phosphatases in plant growth signalling pathways. In: *Plant Growth Signalling*, L. Boegre, ed (Heidelberg: Springer-Verlag), pp. 277-297.
- Schweighofer, A. and Meskiene, I.** (2008). Regulation of stress hormones jasmonates and ethylene by MAPK pathways in plants. *Molecular BioSystems* 4: 799 - 803.
- Sannazzaro A., Echeverría M., Albertó E. , Ruiz O. A., Menéndez A.** (2007) Modulation of polyamine balance in *Lotus glaber* by salinity and arbuscular mycorrhiza. *Plant Physiology and Biochemistry* 45 (1): 39-46.
- Sivritepe N, Sivritepe HO, Turkan I, Bor M, Ozdemir F** 2008, NaCl pre-treatments mediate salt adaptation in melon plants through antioxidative system. *Seed Sci. & Technol*, 360-370.
- Sivritepe N, Erturk U, Yerlikaya C, Turkan I, Bor M, Ozdemir F** (2008) Response of the cherry rootstock to water stress induced in vitro, *Biologia Plantarum*, 52(3):573-576.
- Slama I., Ghnaya T., Messedi D., Hessini K., Labidi N., Saviouré A. and Abdelly C.** (2007) Effect of sodium chloride on the response of the halophyte species *Sesuvium portulacastrum* grown in mannitol-induced water stress. *Journal of Plant Research*, 120:291–299.
- Slama I., Ghnaya T., Hessini K., Messedi D., Saviouré A., Abdelly C.** (2007). Comparative study of mannitol and PEG osmotic stress effects on growth, proline and soluble sugars accumulation in *Sesuvium portulacastrum*. *Environmental and Experimental Botany*. 61, 10-17.
- Slama I., Ghnaya T., Saviouré A., Abdelly C.** (2008). Combined effects of long-term salinity and soil drying on growth, water relations, nutrient status and proline accumulation of *Sesuvium portulacastrum*. *C.R. Biologies* 331, 442-451.
- Smith-Espinoza C., Bartels D., Phillips J.** (2007), GFP as a tool to monitor LEA gene promoter activity in the desiccation tolerant plant *Lindernia brevidens* *Plant Cell Reports* 26 (9): 1681-1688.
- Sokol A, Kwiatkowska A, Jerzmanowski A, Prymakowska-Bosak M** ( 2007) Up-regulation of stress-inducible genes in tobacco and Arabidopsis cells in response to abiotic stresses and ABA treatment correlates with dynamic changes in histone H3 and H4 modifications. *Planta* 227:245-

**Swiezewski, S., Crevillen, P., Liu, F., Ecker, J.R., Jerzmanowski, A. and Dean, C.** (2007) Small RNA-mediated chromatin silencing directed to the 3' region of the Arabidopsis gene encoding the developmental regulator, FLC. *Proc. Natl. Acad. Sci. USA* 104, 3633-3638.

**Székely, G., Ábrahám, E., Cséplő, A., Rigó, G., Zsigmond, L., Csiszár, J., Ayaydin F., Strizhov, N., Jásik, J., Schmelzer, E., Koncz, C., and Szabados, L.** (2008) Duplicated P5CS genes of Arabidopsis perform distinct regulatory functions in proline biosynthesis. *Plant J.* 53, 11-28.

**Tabart, J., Kevers, C., Sipel, A., Pincemail, J. Defraigne, J-O., Dommès, J.** (2007) Optimisation of extraction of phenolics and antioxidants from black currant leaves and buds and of stability during storage. *Food Chem.* 105, 1268-1275.

**Teklic, T., Engler, M., Cesar, V., Lepedus, H., Paradikovic, N., Loncaric, Z., Stolfa, I., Marotti, T., Mikac, N., Zarkovic, N.** (2008): Influence of excess copper on lettuce (*Lactuca sativa* L.) grown in soil and nutrient solution. *Journal of Food, Agriculture & Environment*, Vol. 6, No. 3&4: 439-444.

**Testerink, C., Larsen, P.B., McLoughlin, F., van der Does, D., van Himbergen, J.A.J., Munnik, T.** (2008) PA: a stress-induced short cut to switch-on ethylene signalling by switching-off CTR1? *Plant Signal. Behavior.* 3, 681-683.

**Vahisalu T, Kollist H, Wang Y-F, Chan W-Y, Valerio G, Lamminmäki A, Brosché M, Moldau M, Desikan R, Schroeder JI, Kangasjärvi J** (2008). SLAC1 is required for plant guard cell S-type anion channel function in stomatal closure. *Nature* 452: 487-491.

**Verslues PE, Batelli G, GRILLO S, AgiusF, Yong-Sig K, ZhuJ, Manu Agarwal, and Zhu J-K** 2007 Interaction of SOS2 with NDPK2 and catalases reveals a point of connection between salt stress and H<sub>2</sub>O<sub>2</sub> signaling in Arabidopsis *Molecular and Cellular Biology* 27(22):7771-80.

**Vinkovic, T., Paradikovic, N., Lepedus, H., Stolfa, I., Teklic, T.** (2008): Oxidative stress in radish plants grown on soils with different Cu and Pb level. *Cereal Research Communications Vol. 36 Supplement 5 Part III: 1519-1522.*

**Welter, L.; Göktürk-Baydar, N., Akkurt, M.; Maul, E.; Eibach, R., Töpfer, R.; Zyprian E.** (2007): Genetic mapping and localization of quantitative trait loci affecting fungal disease resistance and leaf morphology in grapevine (*Vitis vinifera* L.). *Molecular Breeding* 20:359-374

**Zapryanova, N., Moyankova, D., Popandova, S., Georgieva, T., D. Djilianov, D.** (2007) Biological melioration of solonetz soils using various poplar genotypes; *Soil science. Agrochemistry and Ecology* 2:17-23.

**Zapryanova, N., Moyankova, D., Popandova, S., Georgieva, T., D. Djilianov, D.** (2007) Physiological reaction of poplar genotypes during biological melioration of solonetz soils. *Plant Sciences (Bulg.)* 44, 473-480.

**Zhang X., Wollenweber, B., Jiang D., Liu, FL., Zhao, J.** (2008). Water deficits and heat shock effects on photosynthesis of a transgenic Arabidopsis thaliana constitutively expressing ABP9, a bZIP transcription factor. *Journal of Experimental Botany* 59: 839-848.

**Zonia, L., Munnik, T.** (2008) Visualization of vesicle trafficking dynamics in growing tobacco pollen tubes and identification of zones of endocytosis and exocytosis. *J. Exp. Bot.* 59, 861-873.

**Zsigmond, L., Rigó, G., Székely, G., Ötvös, K., Szarka, A., Darula, Z., Medzihradszky, K.F., Koncz, C., Koncz, Z., and Szabados, L.** (2008) The Arabidopsis PPR domain protein SAS1 connects abiotic stress responses to mitochondrial electron transport. *Plant Physiol.* 146, 1721-1733.

**Zur, I., Dubas E., Golemić, E., Szechynska-Hebda, M., Janowiak, F., Wędzony, M.** 2008. Stress-induced changes important for effective androgenic induction in isolated microspore culture of triticale (*xTriticosecale* Wittm.). *Plant Cell Tiss. Org. Cult.* 94: 319-328.

**Yazıcı I., Turkan I., Sekmen A.H. and Demiral T.,** (2007). Salinity tolerance of purslane (*Portulaca oleracea* L.) is achieved by enhanced antioxidative system, lower level of lipid peroxidation and proline accumulation. - *Environmental and Experimental Botany* 61(1), 49-57.

## Papers in press

**Else, M.A., Janowiak, F., Atkinson, C.J., Jackson, M.B.,** Root signals and stomatal closure in relation to photosynthesis, chlorophyll a fluorescence and adventitious rooting of flooded tomato plants. *Ann. of Bot.* In press (<http://aob.oxfordjournals.org/misc/aobfirstalert.dtl>)

**Gumze, A., Špoljarević, M., Kerovec, D., Teklić, T., Kovačević, V.,** 2008 The influences of genotype and soil on maize nutritional status and free proline content, *Cereal Research Communications, (In Press)*

**Jiang, D, Yue, H., Wollenweber, B., Tan, W., Dai, T., Jing, Q., Cao, W.** (2008). Effects of post-anthesis drought and waterlogging on accumulation of high molecular-weight glutenin subunits and glutenin macro polymer content in wheat grain. *Journal of Agronomy and Crop Science 2008 in press.*

**Kevers, C., Hausman, J.-F., Faivre-Rampant, O., Dommes, J., Gaspar T.** (2008) What we have learned about the physiology of adventitious rooting of woody plants and how it relates to improvements in the practice In: *Adventitious root formation in forest trees and woody horticultural crops - from genes to applications*. Eds K. Niemi and D. Scagel. In press

**Kooijman, E.E. and Testerink, C.** (2009) Phosphatidic acid - an electrostatic/hydrogen bond switch? In *Plant Lipid Signaling*, **Munnik, T.** (ed.), *Plant Cell Monographs*, Springer-Verlag, Heidelberg, Germany. (In press).

**Lugan R., Niogret Mf., Kervazo L., Larher Fr., Kopka J., Bouchereau A.** 2008. Metabolome and water status phenotyping of Arabidopsis under abiotic stress cues reveals new insight into ESK1 function. *Plant Cell and Environment, in press*

**Mitsuya Y, Takahashi Y, Berberich T, Miyazaki A, Matsumura H, Takahashi H, Terauchi R, Kusano T** (2008) Spermine signaling plays a significant role in the defense response of Arabidopsis thaliana to cucumber mosaic virus. *J Plant Physiol (in press)*

**Moschou, P. N., I.D. Delis, K.A. Paschalidis, and K.A. Roubelakis-Angelakis.** 2008. Transgenic Tobacco Plants Over-Expressing Polyamine Oxidase Are Not Able to Cope with Oxidative Burst Generated by Abiotic Factors. *Physiol. Plant. In press*

**Moschou P.N., K. A. Paschalidis, K. A. Roubelakis-Angelakis.** 2008. Plant Polyamine Catabolism: The state-of the art. *Plant Signaling & Behavior 3:12: in press.*

**Moustafa K., Lefebvre-De Vos D., Leprince A.S., Savouré A., and Laurière C.** (2008). Analysis of the Arabidopsis mitogen-activated protein kinase families: organ specificity and transcriptional regulation upon water stresses. *Scholarly Research Exchange. In press.*

**Naija, S., Elloumi, N., Ammar, S., Kevers, C., Dommes, J.** (2008) Involvement of polyamines in the adventitious rooting of micropropagated shoots of the apple rootstock MM106. *In Vitro Cell. Dev. Biol. in press.*

**SeckinB., Sekmen A H., Turkan I.** 2008 An enhancing effect of exogenous mannitol on the antioxidant enzyme activities in roots of wheat under salt stress. *Journal of Plant Growth Regulation (in press)*

**Slavikova S, Ufaz S, Avin-Wittenberg T, Levanony H, Galili G** 2008: An autophagy-associated atg8 protein is involved in the responses of arabidopsis seedlings to stresses and hormonal controls. *J Exp Bot (in press).*

**Tabart, J., Kevers, C., Pincemail, J., Defraigne J-O., Dommes J.** (2008) Comparative antioxidant capacities of phenolic compounds measured by various tests. *Food Chem. in press*

**Takahashi Y, Berberich T, Kanzaki H, Matsumura H, Saitoh H, Kusano T, Terauchi R** (2008) Serine palmitoyltransferase, the first step enzyme in sphingolipid biosynthesis, is involved in non-host resistance. *Mol Plant-Microbe Interact (in press)*

**Tateda C, Yamashita K, Takahashi F, Kusano T, Takahashi Y** (2008) Plant voltage-dependent anion channels are involved in host defense against *Pseudomonas cichorii* and in Bax-induced cell death. *Plant Cell Reports (in press)*

**Tateda C, Ozaki R, Onodera Y, Takahashi Y, Yamaguchi K, Berberich T, Koizumi N, Kusano T** (2008) NtbZIP60, an endoplasmic reticulum-localized transcription factor, plays a role in defence response against bacterial pathogen in *Nicotiana tabacum*. *J Plant Research (in press)*

**Vahisalu T, Kollist H, Wang Y-F, Chan W-Y, Valerio G, Lamminmäki A, Brosché M, Moldau M, Desikan R, Schroeder JI, Kangasjärvi J.** (2008) RCD3 is required for plant guard cell S-type anion channel function in stomatal closure, *Nature (In Press)*

**Vermeer JEM, Thole JM, Goedhart J, Nielsen E, Munnik T, Gadella Jr. TWJ.** (2008) Imaging PtdIns4P dynamics in living plant cells. *Plant J. (In press).*

**Vinkovic, T.; Paradikovic, N.; Lepeduš, H.; Štolfa, I.; Teklic, T.** 2008 Oxidative stress in radish plants grown on soils with different Cu and Pb level, *Cereal Research Communications, (In Press)*

**Winning, H., Viereck, N., Wollenweber, B., Larsen, F.H., Jacobsen, S., Søndergaard, I., Engelsen, S.B.** (2008) Exploring abiotic stress on asynchronous protein metabolism in single kernels of wheat studied by NMR spectroscopy and chemometrics. *Journal of Experimental Botany (In press)*

## Submitted papers

**Bargmann, B.O.R., Laxalt, A.M., ter Riet, B., Testerink, C., Merquiol, E., Mosblech, A., Leon-Reyes, A.H., Pieterse, C.M., Haring, M.A., Heilmann, I., Bartels D., Munnik, T.** (2008). Reassessing the role of phospholipase D in the Arabidopsis wounding response. *submitted*

**Bargmann B., Laxalt A., Riet ter B., van Schooten B., Merquiol E., Bartels D., Haring M., Munnik T.** (2007) Multiple PLDs Required for High Salinity and Water deficit Tolerance in Plants, *submitted*

**Biesaga-Koscielniak, J., Koscielniak, J., Filek, M., Marcinska, I., Krekule, J., Machackova, I.** (2008) The effect of plant hormones and their interaction with electric field on the winter wheat development. *Biol. Plant. Submitted*

**Costa, J., Fortes, A.M., Seguí, J.M., Cordeiro, A., Altabella, T., Tiburcio; A.F., Pais, M.S.** Arginine decarboxylase expression, polyamines biosynthesis and reactive oxygen species during organogenic nodule formation in hop, 2007, (*Submitted*)

**Figueiredo, A., Fortes, A.M., Sebastiana, M., Acioli, B., Choi, Y., Sousa, L., Pessoa, F., Verpoorte, R., M.S. Pais, M.S.** Transcriptional and metabolic profiling of grape (*Vitis vinifera* L.) leaves unravel possible innate resistance against pathogenic fungi. 2008, (*Submitted*)

**Filek, M., Biesaga-Koscielniak, J., Marcinska, I., Cvikrova M., Machackova, I., Krekule, J.** (2008) The fluctuations of polyamines content during vernalization in wheat and the effect of zearalenone. *Biol. Plant. Submitted*

**Mauro, S., Twisere, J.C., Muhovski, Y., Kettmann, R., Watillon, B.** Analysis of the Arabidopsis thaliana SUMO interactome using a Yeast Two-hybrid approach., 2008, (*Submitted*)

**Mishra, K.B., Gopal, R.** Sensitivity of leaf level chlorophyll and blue-green fluorescence signatures for probing urea treatment in wheat seedlings. (*Submitted*)

**Mishra, K., R. Gopal, R.** (2008) Plants fluorescence signatures for sensing stress responses: A case study of probing urea treatment in wheat seedlings. 2008. (*Submitted*)

**Moschou P.N., P. F. Sarris, N. Scandalis, A.H. Andriopoulou, K.A. Paschalidis, N. J. Panopoulos and K.A. Roubelakis-Angelakis.** 2008. Engineered polyamine catabolism pre-induces SA-independent immunity and enhances tolerance to bacteria and fungi in tobacco. *Submitted.*

**Paschalidis K.A., P.N. Moscou, I. Toumi, K.A. Roubelakis-Angelakis.** 2008. The anabolic/catabolic regulation along the woody grapevine axis is linked to vascular differentiation and to stomatal closure. *Submitted.*

**Perera, W., Tabart, J., Gómez, A., Sipel, A., Payo, A., Kevers, C., Dommes, J.** (2008) Antioxidant capacity of three cuban species of the genus *pluchea* cass. (asteraceae) *J. Food Biochem. Submitted*

**Rodríguez A.A., Maiale S.J., Menéndez A.B, Ruiz O.A.** (2008). Polyamine Oxidase Activity contributes to uphold maize leaf elongation under saline stress. *Submitted*.

**Saglam, A., Terzi, R., Nar, H., Saruhan, N., Ayaz, FA, Kadioglu, A.,** (2008) Inorganic and organic solutes in apoplastic and symplastic spaces contribute to osmotic adjustment during leaf rolling. *Submitted*.

**Saruhan, N., Terzi, R., Saglam, A., Nar, H., Kadioglu, A.,** (2008) Scavenging of reactive oxygen species in apoplastic and symplastic areas of rolled leaves in *Ctenanthe setosa* under drought stress. *Submitted*.

**Schwacke, R., Schneider, A., van der Graaf, E., Fischer, K., Catoni, E., Desimone, M., Frommer, W.B., Flügge, U.I.** ARAMEMNON: a novel database for Arabidopsis thaliana integral membrane proteins., *Plant Physiol.* (*Submitted*)

**Tabart, J., Kevers, C., Pincemail, J., Defraigne, J-O., Dommès, J.,** (2008) Evaluation of spectrophotometric methods for antioxidant compound measurement in relation to total antioxidant capacity in beverages. *Food Chem, submitted*

**Theocharis; A., Baillieul, F., Nowak, J., Clément, C., Ait Barka, E.** Investigation of Primed Physiological State in Grapevine (*Vitis vinifera* L.), (*Submitted*)

**Wu J., H. Qu, Z. Shang, X. Jiang, P. N. Moschou, K. A. Roubelakis-Angelakis, S. Zhang.** 2008. Spermidine oxidase-derived H<sub>2</sub>O<sub>2</sub> activates downstream Ca<sup>2+</sup> channels which signal pollen tube growth in *Pyrus pyrifolia*. *Submitted*